



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/815,056	03/31/2004	Evan C. Lee	SVL920030114US1	7939
27885	7590	09/25/2007		
FAY SHARPE LLP 1100 SUPERIOR AVENUE, SEVENTH FLOOR CLEVELAND, OH 44114			EXAMINER ADAMS, CHARLES D	
			ART UNIT 2164	PAPER NUMBER
			MAIL DATE 09/25/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

## Office Action Summary

Application No.

10/815,056

Applicant(s)

LEE, EVAN C.

Examiner

Charles D. Adams

Art Unit

2164

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 21 June 2007.  
2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.  
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.  
4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.  
5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.  
6) ☒ Claim(s) 1-20 is/are rejected.  
7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.  
8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.  
10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☐ None of:  
1. ☐ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)  
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)  
3) ☐ Information Disclosure Statement(s) (PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_.  
4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.  
5) ☐ Notice of Informal Patent Application  
6) ☐ Other: \_\_\_\_\_.

## DETAILED ACTION

### *Remarks*

1. In response to communications filed on 21 June 2007, claims 1, 14, 15, and 19 are amended. Claims 1-20 are pending in the application.

### ***Claim Rejections - 35 USC § 102***

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this

Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3. Claims 1-2, 14-16, and 18 are rejected under 35 U.S.C. 102(e) as being anticipated by Zait et al. (US Patent 6,665,684).

As to claim 1, Zait et al. teaches a method comprising:

fragmenting a database into a plurality of database fragments using at least one fragmentation expression, the at least one fragmentation expression corresponding to one of the plurality of database fragments (see Zait et al. 1:38-67), and including:

a Boolean combination of one or more comparison-predicates wherein each comparison-predicate defines a range of a fragmentation dimension basis

Art Unit: 2164

function of one or more database fields (see Zait et al. 1:38-67. The Boolean combination is of the comparison predicates, the first comparison predicate being “values less than to\_date (yy-mm-dd, '94-04-01')”. The example listed in Zait et al. is a fragmentation dimension basis function because, it is part of the function “partition”, and it defines the range of the dimension basis (values less than to\_date)); and

Processing a database query against the database fragments of the database based on the boolean combination of said one or more comparison-predicates (see 1:34-37 and 1:38-67. The partitions (database fragments based on the Boolean combination of one comparison predicate) can be queried); and

Providing results of the processing to a user of the database (see 1:34-38 and 2:1-9).

As to claim 2, Zait et al. teaches:

Resolving a data selection expression of the database query into a Boolean combination of fragment selection comparison-predicates wherein each fragment selection comparison-predicate defines a range of one of the fragmentation dimension basis functions (see Zait et al. 2:17-40. The two comparison elements (94-04-01) and (94-06-15) are Boolean combinations in that only elements that occur within those key values are selected. They are used to define what partition ranges should be queried. In this case, it is determined to query “sal94Q2”);

Art Unit: 2164

Identifying one or more eliminated database fragments based on the Boolean combination of fragment selection comparison-predicates and a fragmentation scheme (see Zait et al. 2:17-33); and

Processing the database query against database fragments other than the eliminated database fragments (see Zait et al. 2:17-33).

As to claim 14, Zait et al. teaches:

A fragmentation scheme including:

(i) one or more fragmentation dimension basis functions wherein each fragmentation dimension basis function depends upon one or more database fields (see 1:45-67), and

(ii) a plurality of fragmentation expressions, each fragmentation expression being defined by a Boolean combination of comparison-predicates wherein each comparison-predicate defines a range of one of the fragmentation dimension basis functions (see 1:45-67); and

a plurality of database fragments, each database fragment containing data satisfying a corresponding one of the plurality of fragmentation expressions, thereby enabling improved query efficiency by utilization of fragment elimination based on the fragmentation scheme during query processing which produces query results for a user of the database (see 1:31-37 and 1:45-67).

As to claim 15, Zait et al. teaches:

Art Unit: 2164

A query processor performing a method including (i) receiving a database query and (ii) processing the database query against the plurality of database fragments (see 2:17-40); and

A fragment elimination processor performing a method including:

(i) resolving a data selection expression of the database query into a Boolean combination of fragment selection comparison-predicates wherein each fragment selection comparison-predicate defines a range of one of the fragmentation basis functions (see Zait et al. 2:17-40. The two comparison elements (94-04-01) and (94-06-15) are Boolean combinations in that only elements that occur within those key values are selected. They are used to define what partition ranges should be queried. In this case, it is determined to query "sal94Q2"), and

(ii) eliminating one or more of the plurality of database fragments from the processing of the database query by the query processor, the eliminating being based on comparison of the boolean combination of fragment selection comparison-predicates with the fragmentation expressions (see Zait et al. 2:17-40).

As to claim 16, Zait et al. teaches wherein the one or more fragmentation dimension basis functions comprise:

A first fragmentation dimension basis function depending upon at least a first database field (see 1:45-67); and

Art Unit: 2164

A second fragmentation dimension basis function depending upon at least the first database field (see 1:45-67).

As to claim 18, Zait et al. teaches wherein the one or more fragmentation dimension basis functions comprise:

A fragmentation dimension basis function that includes an extraction operator (see 1:45-67. Rows are extracted from the data and split into the different partitions).

***Claim Rejections - 35 USC § 103***

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 3-6, 8-9, and 11-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zait et al. (US Patent 6,665,684) in view of Jakobsson et al. (US Patent 6,965,891).

As to claim 3, Zait et al. teaches wherein the resolving of the data selection into a Boolean combination of fragment selection comparison-predicates comprises:

Identifying a comparison-predicate of the data selection expression, the comparison-predicate including a comparison operator comparing a constant value with a candidate function that depends upon one or more database fields (see Zait et al. 2:17-40); and

Zait et al. does not teach converting the identified comparison-predicate into one or more of the fragment selection comparison-predicates.

Jakobsson et al. teaches converting the identified comparison-predicate into one or more of the fragment selection comparison-predicates (see 8:31-64).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified Zait et al. in view of Jakobsson et al., since Jakobsson et al. teaches that “smaller objects are often easier to manage and more efficient to search than larger objects. Thus, database systems utilize partitioning to decompose objects such as tables and indexes into smaller and more manageable pieces or “partitions”” (see 1:10-14).

As to claim 4, Zait et al. as modified teaches wherein the converting comprises:

identifying the selected candidate function as equivalent to one of the fragmentation dimension basis functions (see Jakobsson et al. 8:31-64).

As to claim 5, Zait et al. as modified teaches wherein the converting comprises: applying a monotonic transform to the candidate function and to the constant value of a identified comparison-predicate, the application of the



Art Unit: 2164

monotonic transform converting the candidate function into one of the fragmentation dimension basis functions (see Jakobsson et al. 8:31-64. Monotonic transformations preserve the order of a function. In this case, the converted function still has the same order, as it is still simply querying the memory partition).

As to claim 6, Zait et al. as modified teaches wherein the applying of a monotonic transform comprises:

Applying an extraction function to the candidate function and to the constant value of the identified comparison-predicate (see Jakobsson et al. 8:31-64. The candidate function `product.product_category='MEMORY'` is extracted from the original query, as it is reused in the converted query).

As to claim 8, Zait et al. as modified teaches wherein the candidate function of the identified comparison-predicate is an extraction of one of the fragmentation dimension basis functions (see Jakobsson et al. 8:31-64), and the applying of a monotonic transform comprises:

Substituting the fragmentation dimension basis function for the candidate function of the identified comparison-predicate (see Zait et al. 2:17-40 and Jakobsson et al. 8:31-64);

Substituting a new value for the constant value of the identified comparison-predicate, the extraction applied to the new value producing the constant value (see Zait et al. 2:17-40 and Jakobsson et al. 8:31-64).

As to claim 9, Zeit et al. as modified teaches wherein the applying of a monotonic transform includes:

Applying a monotonic transform that changes granularity (see Jakobsson et al. 11:14-12:23); and

Selecting an endpoint of a range of the transformed identified comparison-predicate to ensure that the range of the transformed identified comparison-predicate includes the entire range of the identified comparison-predicate (see Zait et al. 2:17-34. The comparison predicate is compared to the fragments to determine what fragment to query against. The fragments have endpoints, so choosing a fragment selects an endpoint).

As to claim 11, Zait et al. as modified teaches wherein the converting of the identified comparison-predicate into one or more of the fragment selection comparison-predicates includes:

converting the identified comparison-predicate into a fragment selection comparison-predicate having a range that (i) is larger than the range of the identified comparison-predicate and (ii) includes the range of the identified comparison-predicate (see Zait et al. 2:17-34. The comparison is converted to querying the entire partition, which is larger than the current query, and includes the range of the current query).

Art Unit: 2164

As to claim 12, Zait et al. as modified teaches wherein the converting of the identified comparison-predicate into one or more of the fragment selection comparison-predicates includes:

Converting the identified comparison-predicate into a fragment selection comparison-predicate having a smaller granularity than the identified comparison-predicate, an endpoint of the range defined by the fragment selection comparison-predicate being selected to include the entire range of the identified comparison-predicate (see Jakobsson et al. 8:31-64 and Zait et al. 2:17-34).

6. Claims 7 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zait et al. (US Patent 6,665,684) in view of Jakobsson et al. (US Patent 6,906,891), and further in view of Antoshenkov (US Patent 5,664,172).

As to claim 7, Zait et al. as modified teaches wherein applying the extraction function increases granularity (see Jakobsson et al. 11:14-12:23)

Zait et al. does not teach wherein the comparison operator of the identified comparison-predicate is an exclusive comparison operator

Antoshenkov teaches wherein the comparison operator of the identified comparison-predicate is an exclusive comparison operator (see Antoshenkov 8:41-64), and the converting further comprises:

Replacing the exclusive comparison operator with an inclusive comparison operator (see Antoshenkov 8:41-64).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have further modified Zait et al. by the teaching of Antoshenkov, since Antoshenkov teaches that “the invention determines the near-largest interval for which the selection criteria is always false and avoids scanning the corresponding portion of the database. Also, within any interval of values for which the selection criteria is always true, evaluation of the records is not necessary, since the records satisfy the selection criteria” (2:66-3:5).

As to claim 10, Zait et al. as modified teaches the method as set forth in claim 5.

Zait et al. as modified does not teach applying a monotonically decreasing transform to the candidate function and to the constant value of the identified comparison predicate;

Antoshenkov teaches applying a monotonically decreasing transform to the candidate function and to the constant value of the identified comparison predicate (see Antoshenkov 8:41-64); and

Zait et al. as modified teaches reversing a directionality of the comparison operator of the identified comparison-predicate (see Antoshenkov 8:41-64).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have further modified Zait et al. by the

teaching of Antoshenkov, since Antoshenkov teaches that “the invention determines the near-largest interval for which the selection criteria is always false and avoids scanning the corresponding portion of the database. Also, within any interval of values for which the selection criteria is always true, evaluation of the records is not necessary, since the records satisfy the selection criteria” (2:66-3:5).

7. Claims 13, 17, and 19-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zait et al. (US Patent 6,665,684) in view of Hallmark et al. (US Patent 6,014,656).

As to claim 13, Zait et al. teaches the method of claim 1.

Zait et al. does not teach recognizing the query as a row insert or row update operation including a plurality of new record fields corresponding to database fields of the database;

Hallmark et al. teaches recognizing the query as a row insert or row update operation including a plurality of new record fields corresponding to database fields of the database (see 12:33-42);

Zait et al. as modified teaches computing fragmentation dimension values corresponding to the fragmentation dimension basis functions using the new record fields as inputs (see 12:33-42);

Art Unit: 2164

Inserting or updating using the new record fields in an identified one of the database fragments whose corresponding fragmentation expression is satisfied by the computer fragmentation dimension values (see 12:33-42).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified Zait et al. in view of Hallmark et al., since Hallmark et al. teaches that “dividing a table into partitions allows query execution time to be reduced by removing from consideration those partitions that cannot possibly contain rows that satisfy specified query conditions” (see Hallmark et al. 4:55-58).

As to claim 17, Zait et al. teaches the fragmented database as set forth in claim 14.

Zait et al. does not teach a fragmentation dimension basis function that depends upon at least two database fields.

Hallmark et al. teaches a fragmentation dimension basis function that depends upon at least two database fields (see 5:5-35 and Figure 3. The shipDate depends on the receiveDate in that the shipDate cannot be more than 3 months before the receiveDate).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified Zait et al. in view of Hallmark et al., since Hallmark et al. teaches that “dividing a table into partitions allows query execution time to be reduced by removing from consideration those

Art Unit: 2164

partitions that cannot possibly contain rows that satisfy specified query conditions” (see Hallmark et al. 4:55-58).

As to claim 19, Zait et al. teaches:

Program code for constructing a fragmented database having a fragmentation scheme constructed based on computed values of fragmentation dimension basis functions (see 1:44-67. Zait et al. computes values for all database fields that will be included in a particular fragment based on a comparison with a ‘saledate’. In the case of the first fragmentation dimension basis function, all sale dates computer to be less than ‘94-04-‘01’ are included in the partition sal94Q1), each fragmentation dimension basis configured to compute the values based upon at least one database field (see 1:44-67. The fragmentation dimension basis functions compute the values based on the ‘saledate’ field); and

Zait et al. does not teach program code for inserting a new record into the fragmented database, the inserting including (i) computing values of the fragmentation dimension the at least one database field of the new record, (ii) selecting a target database fragment based on the fragmentation scheme and the computer values of the fragmentation dimension basis functions, and (iii) inserting the new record into the target database fragment.

Hallmark et al. teaches program code for inserting a new record into the fragmented database, the inserting including (i) computing values of the fragmentation dimension basis functions using the at least one database field of

Art Unit: 2164

the new record, (ii) selecting a target database fragment based on the fragmentation scheme and the computer values of the fragmentation dimension basis functions, and (iii) inserting the new record into the target database fragment (see 12:33-42. Hallmark et al. computes the values of the possible qualifying partitions based on the field of the new record, and allows a user to select among qualifying partitions).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified Zait et al. in view of Hallmark et al., since Hallmark et al. teaches that "dividing a table into partitions allows query execution time to be reduced by removing from consideration those partitions that cannot possibly contain rows that satisfy specified query conditions" (see Hallmark et al. 4:55-58).

As to claim 20, Zait et al. as modified teaches:

Program code for performing a database query, the performing including

(i) resolving a data selection expression of the database query into one or more one-dimensional expressions each dimensioned by one of the fragmentation dimension basis functions (see Hallmark et al. 9:63-10:61),

(ii) identifying at least one eliminated database fragment based on the one or more one-dimensional expressions and the fragmentation scheme (see Hallmark et al. 10:58-10:61), and



Art Unit: 2164

(iii) processing the database query against the database fragments other than the at least one eliminated database fragment (see Hallmark et al. 10:58-10:61).

### ***Response to Arguments***

8. Applicant's arguments filed 21 June 2007 have been fully considered but they are not persuasive.

Applicant argues that the claims in the present case "are using the term 'range' in reference to defining a range of output values of a basis function which uses the database field as an input value (domain)". However, it is noted that this limitation is not present in the claims. There is no mention of a range of output values being calculated and used as the basis for a fragment. Claim 19 only goes so far as to say "a fragmented database having a fragmentation scheme constructed based on computed values of fragmentation dimension basis functions".

In addition to this, Zait et al. fully teaches the claims as presented. Applicant argues that "the recited comparison-predicate determines the fragment (or partition) based on the output value of a basis function, rather on the value of a database field (or column) as described in the Zait '684 patent. It is noted in the description of range partitioning in Zait et al. (see 1:38-67) that the partitions are

Art Unit: 2164

determined based on the output values of a comparison (dimension basis) function.

Applicant argues that Zait et al. does not have the feature of a Boolean combination of one or more comparison predicates. It is noted that the partitions are built from 'a boolean combination of one or more comparison predicates', in that they are formed from a comparison predicate.

Applicant argues in regards to claim 19 that Zait et al. does not "determine fragments based on the range of computer output values of a basis function". In response to this argument, Examiner notes that Zait et al. determines fragments (partitions) based on the range of output values of a comparison (dimension basis) function.

### ***Conclusion***

9. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be

Art Unit: 2164

calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 2164

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles D. Adams whose telephone number is (571) 272-3938. The examiner can normally be reached on 8:30 AM - 5:00 PM, M - F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Charles Rones can be reached on (571) 272-4085. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



CHARLES RONES  
SUPERVISORY PATENT EXAMINER

Charles Adams  
AU2164

